We claim:

 A naphthopyran compound represented by the following graphic formula:

5

$$(R_3)_n$$
 R_1
 $(R_3)_n$
 $(R_3)_n$

10

15 wherein,

(a) R_1 and R_2 are each selected from the group consisting of:

(i) hydrogen, hydroxy, amino, mono- and disubstituted amino, C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₃-C₇
20 cycloalkyl, allyl, benzyl, mono-substituted benzyl, halogen and the group, -C(O)W, wherein W is hydroxy, C₁-C₆ alkyl, C₁-C₆ alkoxy, phenyl, C₃-C₇ cycloalkyloxy, mono-substituted phenyl, phenoxy, amino, mono(C₃-C₇)alkylamino, di(C₁-C₆)alkylamino, morpholino, piperidino or pyrrolidyl,
25 said amino substituents being selected from the group consisting of C₁-C₆ alkyl, phenyl, benzyl and naphthyl, said benzyl and phenyl substituents being C₁-C₆ alkyl, C₁-C₆ alkoxy, piperidino, morpholino, di(C₁-C₆)alkylamino or fluoro;

(ii) unsubstituted, mono- di- and tri-30 substituted members selected from the group consisting of

phenyl, naphthyl, phenanthryl, pyrenyl, quinolyl, isoquinolyl, benzofuranyl, thienyl, benzothienyl, dibenzofuranyl, dibenzothienyl, carbazolyl, and indolyl, said group substituents in (a)(ii) being selected from the group consisting of halogen, C₁-C₆ alkyl, C₁-C₆ alkoxy, morpholino,

piperidino, pyrrolidino, amino, mono- and di-substituted

amino, said amino substituents being selected from the group consisting of C_1 - C_6 alkyl, phenyl, benzyl and naphthyl;

(iii) monosubstituted phenyl, having a substituent at the para position that is a linking group, $-(CH_2)_t - \text{ or } -O-(CH_2)_t - \text{, wherein t is the integer 1, 2, 3, 4, 5}$ or 6, connected to an aryl group, which is a member of another photochromic naphthopyran;

(iv) a group, $-OR_5$, wherein R_5 is C_1-C_6 alkyl, C_1-C_6 acyl, phenyl(C_1-C_3)alkyl, mono(C_1-C_6)alkyl substituted 10 phenyl(C_1-C_3) alkyl, mono(C_1-C_6) alkoxy substituted $\texttt{phenyl}\,(\texttt{C}_1-\texttt{C}_3)\,\texttt{alkyl}\,,\;\;\texttt{C}_1-\texttt{C}_6\;\;\texttt{alkoxy}\,(\texttt{C}_2-\texttt{C}_4)\,\texttt{alkyl}\,,\;\;\texttt{C}_3-\texttt{C}_7$ cycloalkyl, mono(C1-C4)alkyl substituted C3-C7 cycloalkyl, C₁-C₆ haloalkyl, allyl, benzoyl, monosubstituted benzoyl, naphthoyl or monosubstituted naphthoyl, said benzoyl and 15 naphthoyl group substituents being C_1-C_6 alkyl or C_1-C_6 alkoxy; or R_5 is the group $-CH(R_6)Q$, wherein R_6 is hydrogen or C_1-C_3 alkyl and Q is -CN, $-CF_3$, or $-COOR_7$, and R_7 is hydrogen or C_1-C_3 alkyl; or R_5 is the group, -C(0)V, wherein V is hydrogen, C_1-C_6 alkoxy, phenoxy, mono- or $di-(C_1-C_6)$ alkyl 20 substituted phenoxy, mono- or $di-(C_1-C_6)$ alkoxy substituted phenoxy, an unsubstituted, mono- or di-substituted aryl group, amino, mono (C_1-C_6) alkylamino, di (C_1-C_6) alkylamino, phenylamino, mono- or $di-(C_1-C_6)$ alkyl substituted phenylamino, or mono- or $di-(C_1-C_6)$ alkoxy substituted phenylamino, said aryl group substituents being C_1-C_6 alkyl or C_1-C_6 alkoxy;

(v) a group, $-CH(Q')_2$, wherein Q' is -CN or $-COOR_8$, wherein R_8 is hydrogen, C_1-C_6 alkyl, phenyl(C_1-C_3) alkyl, mono(C_1-C_6) alkyl substituted phenyl(C_1-C_3) alkyl, mono(C_1-C_6) alkoxy substituted phenyl(C_1-C_3) alkyl, or an unsubstituted, mono- or di-substituted aryl group, each of said aryl group substituents being C_1-C_6 alkyl or C_1-C_6 alkoxy;

(vi) a group, -CH(Rg)G, wherein Rg is hydrogen, C₁-C₆ alkyl or an unsubstituted, mono- or dissubstituted aryl group, and G is hydroxy, C₁-C₆ alkoxy, aryloxy, amino, mono(C₁-C₆)alkylamino, di(C₁-C₆)alkylamino,

phenylamino, mono- or $di-(C_1-C_6)$ alkyl substituted phenylamino, or mono- or di-(C1-C6)alkoxy substituted phenylamino, -COOR8, -COR $_{10}$ or -CH $_{2}$ OR $_{11}$, wherein R $_{10}$ is hydrogen, C $_{1}$ -C $_{6}$ alkyl, an unsubstituted, mono- or di-substituted aryl group, amino, 5 $mono(C_1-C_6)$ alkylamino, di (C_1-C_6) alkylamino, phenylamino, monoor $di-(C_1-C_6)$ alkyl substituted phenylamino, mono- or $di-(C_1-C_6)$ C₆)alkoxy substituted phenylamino, diphenylamino, mono- or $\operatorname{di}(C_1-C_6)\operatorname{alkyl}$ substituted diphenylamino, mono- or $\operatorname{di}(C_1-C_6)\operatorname{alkyl}$ C6) alkoxy substituted diphenylamino, morpholino, or 10 piperidino, wherein R_{11} is hydrogen, -C(0) R_8 , C_1 - C_6 alkyl, C_1 - C_3 alkoxy(C_1-C_6) alkyl, phenyl(C_1-C_3) alkyl, mono(C_1-C_6) alkoxy substituted phenyl(C_1 - C_3)alkyl, or an unsubstituted, mono- or di-substituted aryl group, each of said aryl group substituents being C_1-C_6 alkyl or C_1-C_6 alkoxy; and (vii) a group, T, represented by the formula: 15 $-Z[(OC_2H_4)_x (OC_3H_6)_v (OC_4H_8)_z]Z'$ or

wherein -Z is -C(O)- or -CH₂-, Z' is C₁-C₃ alkoxy or a polymerizable group, x, y and z are each a number between 0 and 50, and the sum of x, y and z is between 2 and 50; or (viii) R₁ and R₂ together form an oxo group, a substituted or unsubstituted spiro-carbocyclic ring containing 3 to 6 carbon atoms or a substituted or unsubstituted spiro-heterocyclic group containing 1 or 2 oxygen atoms and 3 to 6 carbon atoms including the spirocarbon atom, said spiro-carbocyclic ring and spiro-heterocyclic group being annellated with 0, 1 or 2 benzene rings, said substituents being hydrogen or C₁-C₆ alkyl;

 $-[(OC_2H_4)_x (OC_3H_6)_v (OC_4H_8)_z]Z'$

(b) each R₃ is independently selected from the group consisting of hydrogen, C₁-C₆ alkyl, C₁-C₆ alkoxy, C₃-C₇ cycloalkyl, phenyl, benzyl, di(C₁-C₆)alkylamino, dicyclohexylamino, diphenylamino, piperidyl, morpholinyl, pyridyl, halogen, a group, T, and the group -C(O)W and n is the integer 0, 1, or 2; or when n is 2, and the R₃ substituents are adjacent, each pair of substituents A TOTAL TOTAL

independently forms a substituted or unsubstituted fused carbocyclic or heterocyclic ring selected from the group consisting of benzo, pyridino, pyrazino, pyrimidino, furano, dihydrofurano, 1,3-dioxolo, 1,4-dioxolo, 1,3-dioxino, 1,4
5 dioxino, thiopheno, benzofuro, benzothieno, indolo, and indeno, the substituents of said fused carbocyclic or heterocyclic ring being selected from the group consisting of halogen, C₁-C₆ alkyl, C₁-C₆ alkoxy, amino, mono- and disubstituted amino, said amino substituents being selected from the group consisting of C₁-C₆ alkyl, phenyl, benzyl and naphthyl; said first R₃ ring being fused to the o, p or q side and said second R₃ ring being fused to the g, h, or i side of the naphthopyran;

- $$\rm (c)$$ B and B' are each selected from the group 15 consisting of:
 - (i) mono-T-substituted phenyl
 - (ii) an unsubstituted, mono-, di-, and trisubstituted aryl group;
- (iii) 9-julolidinyl and an unsubstituted, mono-20 or di-substituted heteroaromatic group selected from the group consisting of pyridyl, furanyl, benzofuran-2-yl, benzofuran-3yl, thienyl, benzothien-2-yl, benzothien-3-yl, dibenzofuranyl, dibenzothienyl, carbazoyl, benzopyridyl, indolinyl and fluorenyl, each of said aryl and heteroaromatic substituents 25 in (c) (ii) and (iii) being selected from the group consisting of hydroxy, aryl, mono(C_1-C_6)alkoxyaryl, di(C_1-C_6)alkoxyaryl, $mono(C_1-C_6)$ alkylaryl, di(C_1-C_6) alkylaryl, haloaryl, C_3-C_7 cycloalkylaryl, C3-C7 cycloalkyl, C3-C7 cycloalkyloxy, C3-C7 $cycloalkyloxy(C_1-C_6)alkyl, C_3-C_7 cycloalkyloxy(C_1-C_6)alkoxy,$ 30 aryl(C_1 - C_6)alkyl, aryl(C_1 - C_6)alkoxy, aryloxy, aryloxy(C_1 - C_6) alkyl, aryloxy(C_1 - C_6) alkoxy, mono- and di-(C_1 - C_6) alkylaryl (C_1 - C_6) alkyl, mono- and di-(C_1 - C_6) alkoxyaryl (C_1 - C_6) alkyl, mono- and di- (C_1-C_6) alkylaryl (C_1-C_6) alkoxy, monoand $di-(C_1-C_6)$ alkoxyaryl (C_1-C_6) alkoxy, amino, mono (C_1-C_6)
- 35 C_6) alkylamino, di (C_1-C_6) alkylamino, diarylamino, piperazino, $N-(C_1-C_6)$ alkylpiperazino, N-arylpiperazino, aziridino,

indolino, piperidino, morpholino, thiomorpholino, tetrahydroquinolino, tetrahydroisoquinolino, pyrryl, pyrrolidyl, C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_1 - C_6 alkoxy, mono(C_1 - C_6)alkoxy(C_1 - C_4)alkyl, acryloxy, methacryloxy and halogen;

(iv) an unsubstituted or mono-substituted member selected from the group consisting of pyrazolyl, imidazolyl, pyrazolinyl, imidazolinyl, pyrrolinyl, phenothiazinyl, phenoxazinyl, phenazinyl and acridinyl, each of said substituents being selected from the group consisting of C_1 - C_6 alkyl, C_1 - C_6 alkoxy, phenyl, and halogen;

(v) monosubstituted phenyl, having a substituent at the para position that is a linking group, $-(CH_2)_{t^-} \text{ or } -O-(CH_2)_{t^-}, \text{ wherein t is the integer 1, 2, 3, 4, 5}$ or 6, connected to an aryl group, which is a member of another photochromic naphthopyran;

(vi) a group represented by one of the following graphic formula:

wherein A is methylene or oxygen and D is oxygen or

25 substituted nitrogen, provided that when D is substituted
nitrogen, A is methylene, said nitrogen substituents being
selected from the group consisting of hydrogen, C₁-C₆ alkyl,
and C₂-C₆ acyl; each R₁₂ is C₁-C₆ alkyl, C₁-C₆ alkoxy,
hydroxy, or halogen; R₁₃ and R₁₄ are each hydrogen or C₁-C₆

30 alkyl; and q is the integer 0, 1, or 2;

 $\label{eq:continuous} (\text{vii}) \ C_1-C_6 \ \text{alkyl}, \ C_1-C_6 \ \text{haloalkyl}, \ C_1-C_6 \ \text{alkoxy}(C_1-C_4) \text{alkyl}, \ C_3-C_6 \ \text{cycloalkyl}, \ \text{mono}(C_1-C_6) \text{alkyl}(C_3-C_6) - \text{cycloalkyl}, \ \text{halo}(C_3-C_6) \text{cycloalkyl}, \ \text{and} \ C_4-C_{12} \ \text{bicycloalkyl}; \ \text{and}$

(viii)a group represented by the following
graphic formula:

$$C \longrightarrow C$$

wherein L is hydrogen or C_1 - C_4 alkyl and M is selected from the unsubstituted, mono-, and di-substituted members of the group consisting of naphthyl, phenyl, furanyl, and thienyl, each of said group substituents being C_1 - C_4 alkyl, C_1 - C_4 alkoxy, or halogen; or

- ylidene, mono-, or di-substituted fluoren-9-ylidene or a member selected from the group consisting of saturated C₃-C₁₂ spiro-monocyclic hydrocarbon rings, saturated C₇-C₁₂ spiro-bicyclic hydrocarbon rings, and saturated C₇-C₁₂ spiro-tricyclic hydrocarbon rings, each of said fluoren-9-ylidene substituents being selected from the group consisting of C₁-C₄ alkyl, C₁-C₄ alkoxy, and halogen; said halogen or halo group herein being bromo, chloro, fluoro or iodo and said aryl groups herein being phenyl or naphthyl.
 - 2. A naphthopyran compound of claim 1 wherein,
- $\mbox{(a)} \quad \mbox{$R_1$ and R_2 are each selected from the group } \\ 20 \quad \mbox{consisting of:}$
- (i) hydrogen, hydroxy, C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, di-substituted amino, C_3 - C_7 cycloalkyl, benzyl, mono-substituted benzyl, and the group, -C(0)W, wherein W is C_1 - C_6 alkoxy, di(C_1 - C_6)alkylamino, morpholino, or piperidino, said amino substituents being C_1 - C_6 alkyl, said benzyl substituents being C_1 - C_6 alkyl or C_1 - C_6 alkoxy;
- (ii) mono- di- and tri-substituted members selected from the group consisting of phenyl, naphthyl, and dibenzofuranyl, said group substituents in (a)(ii) being selected from the group consisting of C_1 - C_6 alkyl, C_1 - C_6 alkoxy, di-substituted amino, said amino substituents being C_1 - C_6 alkyl;

20

(iii) monosubstituted phenyl, having a substituent at the para position that is a linking group, $-O-(CH_2)_t-$, wherein t is the integer 3, 4, or 5, connected to an aryl group, which is a member of another photochromic 5 naphthopyran;

(iv) a group, -OR5, wherein R5 is C1-C6 alkyl, C1-C6 acyl, C1-C6 alkoxy(C2-C4)alkyl, benzoyl, or monosubstituted benzoyl, said benzoyl group substituents being C1-C6 alkyl or C1-C6 alkoxy; or R5 is the group -CH(R6)Q,
wherein R6 is hydrogen and Q is -COOR7, and R7 is C1-C3 alkyl; or R5 is the group, -C(O)V, wherein V is C1-C6 alkoxy, or di(C1-C6)alkylamino;

 $(v) \quad \text{a group, -CH(Q')}_2, \text{ wherein Q' is -COOR}_8, \\ \text{wherein R}_8 \text{ is C}_1\text{-C}_6 \text{ alkyl, or phenyl(C}_1\text{-C}_3)\text{alkyl;}$

(vi) a group, $-CH(R_9)G$, wherein R_9 is C_1-C_6 alkyl, and G is C_1-C_6 alkoxy, $-COOR_8$, or $-CH_2OR_{11}$, wherein R_{10} is C_1-C_6 alkyl, $di(C_1-C_6)$ alkylamino, morpholino, or piperidino, wherein R_{11} is C_1-C_6 alkyl, or C_1-C_3 alkoxy(C_1-C_6) alkyl; and

(vii) a group, T, represented by the formula: $-[(OC_2H_4)_x (OC_3H_6)_y (OC_4H_8)_z]Z'$

wherein Z' is C_1-C_3 alkoxy or a polymerizable group, x, y and z are each a number between 0 and 50, and the sum of x, y and z is between 2 and 50; or

(viii) R_1 and R_2 together form an oxo group, or a substituted or unsubstituted spiro-heterocyclic group containing 1 or 2 oxygen atoms and 3 to 6 carbon atoms including the spirocarbon atom, said spiro-heterocyclic group being annellated with 1 or 2 benzene rings, said substituents being or C_1 - C_6 alkyl;

(b) each R_3 is independently selected from the group consisting of hydrogen, C_1 - C_6 alkyl, C_1 - C_6 alkoxy, $di(C_1$ - $C_6)$ alkylamino, piperidyl, morpholinyl, pyrrolidyl, halogen, a group, T, and the group -C(O)W and n is the integer 0, 1, or 2, or when n is 2, and the R_3 substituents are

adjacent, a pair of substituents independently forms a substituted or unsubstituted fused carbocyclic or heterocyclic ring selected from the group consisting of benzo, dihydrofurano and benzofuro, the substituents of said fused carbocyclic or heterocyclic ring being selected from the group consisting of C_1 - C_6 alkyl, C_1 - C_6 alkoxy, and di-substituted amino, said amino substituents being C_1 - C_6 alkyl; said R_3 ring being fused to the o, p or q side of the naphthopyran;

- (c) B and B' are each selected from the group 10 consisting of:
 - (i) a mono-, or di-substituted phenyl group;
- (ii) an unsubstituted, mono- or di-substituted
 heteroaromatic group selected from the group consisting of
 furanyl, benzofuran-2-yl, thienyl, benzothien-2-yl, and

 15 dibenzofuranyl, each of said phenyl and heteroaromatic
 substituents in (c) (i) and (ii) being selected from the group
 consisting of hydroxy, amino, mono(C₁-C₆)alkylamino, di(C₁C₆)alkylamino, piperidino, morpholino, pyrryl, C₁-C₃ alkyl,
 C₁-C₃ chloroalkyl, C₁-C₃ fluoro-alkyl, C₁-C₃ alkoxy, mono(C₁C₃)alkoxy(C₁-C₃)alkyl, fluoro and chloro;

(iii) a group represented by one of the following graphic formula:

wherein A is methylene and D is oxygen; each R_{12} is C_1-C_3 alkyl, or C_1-C_3 alkoxy; R_{13} and R_{14} are each hydrogen or C_1-C_4 alkyl; and q is the integer 0, or 1;

- (iv) C_1-C_4 alkyl,
- $% \left(v\right) =0$ (v) a group represented by the following graphic formula:

$$C \longrightarrow C$$

wherein L is hydrogen or methyl and M is phenyl or selected mono-, substituted phenyl, said phenyl substituent being C_1-C_3 alkyl, C_1-C_3 alkoxy, or fluoro; or

(d) B and B' taken together form fluoren-9-ylidene, mono-substituted fluoren-9-ylidene or a member selected from the group consisting of saturated C_3 - C_8 spiro-monocyclic hydrocarbon rings, saturated C_7 - C_{10} spiro-bicyclic hydrocarbon rings, and saturated C_7 - C_{10} spiro-tricyclic hydrocarbon rings, said fluoren-9-ylidene substituent being selected from the group consisting of C_1 - C_3 alkyl, C_1 - C_3 alkoxy, fluoro and chloro;

national 4

5

- 3. A naphthopyran compound of claim 2 wherein:
- (a) R_1 and R_2 are each selected from the group consisting of:
 - (i) hydrogen, hydroxy, C_1-C_3 alkyl, and the group, -C(0)W, wherein W C_1-C_6 alkoxy, or morpholino;
 - (ii) unsubstituted, and mono-substituted
- 20 phenyl, said phenyl substituents in (a)(ii) being selected from the group consisting of C_1 - C_6 alkoxy, and di-substituted amino, said amino substituents being of C_1 - C_3 alkyl,

(iii) monosubstituted phenyl, having a
substituent at the para position that is a linking group, -O25 (CH₂)_t~ wherein t is the integer 3, connected to an aryl
group, which is a member of another photochromic naphthopyran;

(iv) a group, $-OR_5$, wherein R_5 is C_1-C_6 alkyl, C_1-C_6 alkoxy(C_2-C_4) alkyl, the group $-CH(R_6)Q$, wherein R_6 is hydrogen or C_1-C_3 alkyl and Q is $-COOR_7$, and R_7 is C_1-C_3 alkyl; or R_5 is the group, -C(O)V, wherein V is C_1-C_6 alkoxy;

(v) a group, $-CH(Q')_2$, wherein Q' is $-COOR_8$, wherein R_8 is C_1-C_6 alkyl.

 $\mbox{(vi) a group, $-$CH(R_9)$G, wherein R_9 is C_1-C_6 alkyl and G is C_1-C_6 alkoxy, $-$COOR_8$, $-$COR_{10}$ or $-$CH_2OR_{11}, wherein R_{10} and R_{11} are each C_1-C_6 alkyl; and$

(vii) a group, T, represented by the formula: $-[(OC_2H_4)_x (OC_3H_6)_v (OC_4H_8)_z]Z'$

wherein Z' is C_1 - C_3 alkoxy or a polymerizable group, x, y and z are each a number between 0 and 50, and the sum of x, y and z is between 2 and 50; or

(viii) R_1 and R_2 together form an oxo group, a substituted or unsubstituted spiro-heterocyclic group containing 1 oxygen atom and 6 carbon atoms including the spirocarbon atom, said spiro-heterocyclic group being annellated with 2 benzene rings, said substituents being C_1 - C_3 alkyl;

- (b) each R₃ is independently selected from the group consisting of hydrogen, C₁-C₆ alkyl, C₁-C₆ alkoxy, morpholinyl, a group, T, and the group -C(O)W and n is the integer 0, 1, or 2, or when n is 2, and the R₃ substituents are adjacent, the pair of substituents independently forms a substituted or unsubstituted fused carbocyclic or heterocyclic ring selected from the group consisting of benzo, and benzofuro, the substituents of said fused carbocyclic or heterocyclic ring being C₁-C₆ alkoxy; said R₃ ring being fused to the o, p or q side of the naphthopyran;
- 25 (c) B and B' are each selected from the group consisting of:
 - (i) an unsubstituted, mono-, or disubstituted phenyl group;
- (ii) an unsubstituted, mono- or di30 substituted heteroaromatic group selected from the group consisting of furanyl, benzofuran-2-yl, thienyl, benzothien-2-yl, and dibenzofuranyl, each of said phenyl and heteroaromatic substituents in (c) (i) and (ii) being selected from the group consisting of hydroxy, piperidino, morpholino, C1-C3 alkyl,
 35 and C1-C3 alkoxy;

10

(iii) a group represented by the following
graphic formula:

$$(R_{12}) \stackrel{A}{Q} \qquad R_{14}$$

wherein A is methylene and D is oxygen; each R_{12} is C_1 - C_3 alkyl, or C_1 - C_3 alkoxy; R_{13} and R_{14} are each hydrogen or C_1 - C_3 alkyl; and q is the integer 0, or 1; or

- (d) B and B' taken together form fluoren-9-ylidene, adamantylidene, bornylidene, norbornylidene, or bicyclo[3.3.1]nonan-9-ylidene.
- 15 4. A naphthopyran compound selected from:
 - (a) 3, 3, 9-triphenyl-3H-9H-

indeno[3',2':3,4]naphtho[1,2-b]pyran;

- (b) 3,3-di(4-methoxyphenyl)-9-phenyl-3H-9Hindeno[3',2':3,4]naphtho[1,2-b]pyran;
- 20 (c) 3-(4-methoxyphenyl)-3,9-diphenyl-3H-9H-indeno[3',2':3,4]naphtho[1,2-b]pyran;
 - (d) 3-(4-morpholinophenyl)-3,9-diphenyl-3H-9Hindeno[3',2':3,4]naphtho[1,2-b]pyran;
 - (e) 3,3-di(4-methoxyphenyl)-9-(3-methoxyphenyl)-
- 25 11-methoxy-3H-9H-indeno[3',2':3,4]naphtho[1,2-b]pyran;
 - (f) 3-(4-methoxyphenyl)-3-phenyl-9-(3methoxyphenyl)-11-methoxy-3H-9H-indeno[3',2':3,4]naphtho[1,2b]pyran;
 - (g) 3-(4-methoxyphenyl)-3-phenyl-9-methyl-11-
- 30 methoxy-9-(3-methoxyphenyl)-3H-9H
 - indeno[3',2':3,4]naphtho[1,2-b]pyran;
 - (h) 3,3-di(4-methoxyphenyl)-9-methyl-11-methoxy-9-(3-methoxyphenyl)-3H-9H-indeno[3',2':3,4]naphtho[1,2-b]pyran;
 - (i) 3,3-di(4-methoxyphenyl)-9-methyl-11-methoxy-
- 35 3H-9H-indeno[3',2':3,4]naphtho [1,2-b]pyran;

- (j) 3,3-di(4-methoxyphenyl)-9,9-dimethyl-11-methoxy-3H-9H-indeno[3',2':3,4] naphtho[1,2-b]pyran;
- (k) 3-(4-methoxyphenyl)-3-phenyl-9,9-dimethyl-11methoxy-3H-9H-indeno[3',2':3,4]naphtho[1,2-b]pyran;
- 5 (1) 3,3-di(4-methoxyphenyl)-9,9-dimethyl-7,11-dimethoxy-3H-9H-indeno[3',2':3,4]naphtho[1,2-b]pyran;
 - (m) 3-(4-methoxyphenyl)-3-phenyl-9,9-dimethyl7,11-dimethoxy-3H-9H-indeno[3',2':3,4]naphtho[1,2-b]pyran;
 - (n) 3-(4-morpholinophenyl)-3-phenyl-9,9-dimethyl-7,11-dimethoxy-3H-9H-indeno[3',2':3,4]naphtho[1,2-b]pyran;
 - (o) 3,3-di(4-methoxyphenyl)-9-methyl-11,13dimethoxy-3H-9H-indeno[3',2':3,4]naphtho[1,2-b]pyran;
 - (p) 3-(4-methoxyphenyl)-3-phenyl-9-methyl-11,13-dimethoxy-3H-9H-indeno[3',2':3,4]naphtho[1,2-b]pyran;
- 15 (q) 3-(4-methoxyphenyl)-3-phenyl-9,9-dimethyl-3H-9H-benzo[4",5"]indeno[3',2':3,4]naphtho[1,2-b]pyran; and
 - (r) 3,3-di(4-methoxypheny1-9,9-dimethy1-11-fluoro-3H-9H-indeno[3',2':3,4]naphtho[1,2-b]pyran.
- 20 5. A photochromic article comprising a polymeric organic host material and a photochromic amount of the naphthopyran compound of claim 1.
- the polymeric organic host material is selected from the group consisting of poly(C₁-C₁₂ alkyl methacrylates), poly(oxyalkylene dimethacrylates), poly(alkoxylated phenol methacrylates), cellulose acetate, cellulose triacetate, cellulose acetate propionate, cellulose acetate butyrate, poly(vinyl acetate), poly(vinyl alcohol), poly(vinyl chloride), poly(vinylidene chloride), thermoplastic polycarbonates, polyesters, polyurethanes, polythiourethanes, poly(ethylene terephthalate), polystyrene, poly(alpha methylstyrene), copoly(styrene-methylmethacrylate), copoly(styrene-acrylonitrile), polyvinylbutyral and polymers

of members of the group consisting of bis(allyl carbonate)

monomers, polyfunctional acrylate monomers, polyfunctional methacrylate monomers, diethylene glycol dimethacrylate monomers, diisopropenyl benzene monomers, ethoxylated bisphenol A dimethacrylate monomers, ethylene glycol bismethacrylate monomers, poly(ethylene glycol) bismethacrylate monomers, ethoxylated phenol bismethacrylate monomers, alkoxylated polyhydric alcohol acrylate monomers, styrene monomers, urethane acrylate monomers, glycidyl acrylate monomers, glycidyl methacrylate monomers and diallylidene pentaerythritol monomers.


- The photochromic article of claim 6 wherein the polymeric organic host material is a solid transparent polymer selected from the group consisting of poly(methyl methacrylate), poly(ethylene glycol bismethacrylate), poly(ethoxylated bisphenol A dimethacrylate), thermoplastic polycarbonate, poly(vinyl acetate), polyvinylbutyral, polyurethane, polythiourethane and polymers of members of the group consisting of diethylene glycol bis(allyl carbonate) monomers, diethylene glycol dimethacrylate monomers, ethoxylated phenol bismethacrylate monomers, diisopropenyl benzene monomers and ethoxylated trimethylol propane triacrylate monomers.
- 8. The photochromic article of claim 7 wherein the photochromic compound is present in an amount of from 0.05 to 2.0 milligram per square centimeter of organic host material surface to which the photochromic substance(s) is incorporated or applied.
 - 9. The photochromic article of claim 8 wherein said article is a lens.
- 10. A photochromic article comprising a polymeric 35 organic host material selected from the group consisting of poly(methyl methacrylate), poly(ethylene glycol

bismethacrylate), poly(ethoxylated bisphenol A dimethacrylate), thermoplastic polycarbonate, poly(vinyl acetate), polyvinylbutyral, polyurethane, polythiourethane and polymers of members of the group consisting of diethylene glycol bis(allyl carbonate) monomers, diethylene glycol dimethacrylate monomers, ethoxylated phenol bismethacrylate monomers, diisopropenyl benzene monomers and ethoxylated trimethylol propane triacrylate monomers, and a photochromic amount of the naphthopyran compound of claim 2.

10

- organic host material selected from the group consisting of poly(methyl methacrylate), poly(ethylene glycol bismethacrylate), poly(ethoxylated bisphenol A dimethacrylate), thermoplastic polycarbonate, poly(vinyl acetate), polyvinylbutyral, polyurethane, polythiourethane and polymers of members of the group consisting of diethylene glycol bis(allyl carbonate) monomers, diethylene glycol dimethacrylate monomers, ethoxylated phenol bismethacrylate monomers, diisopropenyl benzene monomers and ethoxylated trimethylol propane triacrylate monomers, and a photochromic amount of the naphthopyran compound of claim 3.
- 12. A photochromic article comprising a
 25 polymerizate of an optical organic resin monomer and a photochromic amount of the naphthopyran compound of claim 1.
- 13. The photochromic article of claim 12 wherein the refractive index of the polymerizate is from about 1.48 to about 1.75.
 - 14. The photochromic article of claim 12 wherein the polymerizate is an optical element.
- 35 15. The photochromic article of claim 14 wherein said optical element is an ophthalmic lens or a contact lens.

- 16. A photochromic article comprising, in combination, a solid transparent polymeric organic host material, and a photochromic amount of each of (a) at least one naphthopyran compound of claim 1, and (b) at least one other organic photochromic compound having at least one activated absorption maxima within the range of between about 400 and 700 nanometers.
- 17. The photochromic article of claim 16 wherein the polymeric organic host material is a solid transparent homopolymer or copolymer selected from the group consisting of poly(methyl methacrylate), poly(ethylene glycol bismethacrylate), poly(ethoxylated bisphenol A dimethacrylate), thermoplastic polycarbonate, poly(vinyl acetate), polyvinylbutyral, polyurethane, polythiourethane and polymers of members of the group consisting of diethylene glycol bis(allyl carbonate) monomers, diethylene glycol dimethacrylate monomers, ethoxylated phenol bismethacrylate monomers, diisopropenyl benzene monomers and ethoxylated trimethylol propane triacrylate monomers.
- 18. The photochromic article of claim 16 wherein the organic photochromic compound (b) is selected from the group consisting of naphthopyrans, benzopyrans, phenanthropyrans, indenonaphthopyrans, oxazines, organo-metal dithizonates, fulgides, fulgimides, spiro(indoline)pyrans and mixtures thereof.
- 19. The photochromic article of claim 18 wherein the total amount of photochromic compound present is from 0.05 to 1.0 milligram per square centimeter of organic host material surface to which the photochromic substance(s) is incorporated or applied.



21. A photochromic article comprising, in combination, a polymeric organic host material selected from the group consisting of poly(methyl methacrylate), poly(ethylene glycol bismethacrylate), poly(ethoxylated bisphenol A dimethacrylate), thermoplastic polycarbonate, poly(vinyl acetate), polyvinylbutyral, polyurethane,
10 polythiourethane and polymers of members of the group consisting of diethylene glycol bis(allyl carbonate) monomers, diethylene glycol dimethacrylate monomers, ethoxylated phenol bismethacrylate monomers, diisopropenyl benzene monomers and ethoxylated trimethylol propane triacrylate monomers, and a photochromic amount of each of (a) at least one naphthopyran compound of claim 3, and (b) at least one other organic photochromic compound having at least one activated absorption maxima within the range of between about 400 and 700

20

nanometers.